Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	30	gui and SQL near7 buil\$5 near3 quer\$3	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 13:29
S1	60787	(data near3 (abstract\$4 or logical adj model)) or GUI or (quer\$3 near3 buil\$5 near3 interface) or combinator\$3 or SQL near3 (JOIN or UNION)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 12:52
S2	49055	XML near3 schema or quer\$3	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	-2005/01/11 12:54
S3	6535	S1 and S2	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 12:54
54	1507	S3 and data near3 (abstract\$4 or logical adj model)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 12:55
S5	3	S4 and quer\$4 near4 buil\$5 near3 interface	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 12:58
S6	103307	S1 or S2	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 12:59
S7	22	S6 and SQL near3 (join or union)adj statement	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 13:14
S8	66	Abstract near5 data near4 link\$3	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 13:26
S9	182	data near3 link\$3 and join\$3 near5 interface	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 13:27
S10	22187	S9 and gui or graphical adj user adj interface	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 13:27
S11	26	S9 and (gui or graphical adj user adj interface)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 13:32
S12	6687	SQL or abstract near3 quer\$3 with GUI	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 13:34
S13	1296	S12 and data near5 model	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 13:34
S14	8	S13 and (quer\$3 near3 buil\$5 near3 interface)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 13:39

				i		
S15	1099	combinatorial near5 statement or SQL and GUI	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 13:41
S16	1083	S15 and database	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 13:41
S17	103	S16 and quer\$4 near5 buil\$5	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 14:22
S18	678806	convert or translate with SQL	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 14:23
S19	15600	S18 and XML or HTML	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 14:29
S20	3	S19 and query adj buil\$5 near3 interface	USPAT;	OR	ON	2005/01/11 14:27
			EPO; JPO; DERWENT; IBM_TDB		ariim - yaka q	Abo Tidy Tidy and the control of th
S21	4	\$18 and ((data near3 model or schema) near10 (\$QL near5 (join or union near3 statement)) or combinatorial adj statement)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 14:43
S22	78	object\$1oriented near3 database near3 structure	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 14:44
S23	18	S22 and gui	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 14:48
\$24	3288214	quer\$4 near3 buil\$5 near8 data near3 model or structure	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 15:02
S25	45495	S24 and (SQL near3 join or union)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 14:50
S26	45495	(quer\$4 near3 buil\$5 near8 data near3 model or structure) and (SQL near3 join or union)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 15:03
S27	1913	(quer\$4 near3 buil\$5 near8 data near3 model or structure) with (SQL near3 join or union)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 15:03
S28	1155	(quer\$4 near3 buil\$5 near8 data near3 model or structure) near7 (SQL near3 join or union)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 15:04
S29	22186	(quer\$4 near3 buil\$5 near8 data near3 model or structure) near7 (SQL near3 join or union) near7 GUI or graphical adj user adj interface	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 15:05

S30	1	(quer\$4 near3 buil\$5 near8 data near3 model or structure) near7 (SQL near3 join or union) near7 (GUI or graphical adj user adj interface)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 15:05
S31	5	(quer\$4 near3 buil\$5 near8 data near3 model or structure) near7 (SQL near3 join or union) same (GUI or graphical adj user adj interface)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 15:08
S32	0	graphical adj user adj interface and (sql or structured adj quer\$3) near7 abstract near5 model	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 15:12
S33	0	graphical adj user adj interface same (sql or structured adj quer\$3) near7 abstract near5 model	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2005/01/11 15:12
S34	22186	graphical adj user adj interface or GUI same (sql or structured adj quer\$3) near7 abstract near5 model	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 15:13
S35	22186	graphical adj user adj interface or GUI near7 (sql or structured adj quer\$3) near7 abstract near5 model	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 15:13
S36	73565	graphical adj user adj interface or GUI near7 (sql or structured adj quer\$3) near7 abstract near5 model with ML schema or quer\$5	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 15:14
S37	22186	graphical adj user adj interface or GUI near7 (sql or structured adj quer\$3) near7 abstract near5 model with (XML schema or quer\$5)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 15:15
S38	22186	graphical adj user adj interface or GUI near7 (sql or structured adj quer\$3) near7 abstract near5 model with (XML schema or quer\$5) and database	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 15:15
S39	22186	graphical adj user adj interface or GUI near7 (sql or structured adj quer\$3) near7 abstract near5 model with (XML schema or quer\$5) and (join or union near3 statement)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 15:16
S40	209	S39 and quer\$ near3 buil\$5	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 16:21
541	5806	S39 and (data near5 link\$3 or join\$3)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 15:17
542	37	federate\$1 near5 quer\$4	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2005/01/11 16:31
S43	7375	database and data near3 model\$5	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 16:32
S44		S43 and ((GUI or graphical adj user adj interface) near5 (quer\$5 near3 buil\$5) same ((XML near3 schema or quer\$5) or meta\$1data))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 16:36

S45	3	\$43 and ((GUI or graphical adj user adj interface) near5 (quer\$5 near3 buil\$5) near10((XML near3 schema or quer\$5) or meta\$1data))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 16:37
S46	2207	S43 and (data near4 linking or join\$3)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 16:38
S47	0	S43 and ((data near4 linking or join\$3) near7 GUI with SQL near5 (join or union))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 16:39
S48	0	S43 and (GUI with SQL near5 (join or union))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 16:39
S49	7327	database and data near3 model\$3	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 16:40
S50	728	S49 and (GUI and quer\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 16:42
S51	226351	abstract or execut\$7 near5 quer\$4 with (SQL or XQUERY)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 16:43
S52	17672	S51 and database	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 16:44
S53	2854	\$51 and (sql near5 join and union or combinatorial)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 16:45
S54	202	S53 and data near3 model	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 16:46
S55	30	S54 and "707"/\$.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 17:08
S56	130	meta\$1data near4 model and database	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 17:09
S57	53	S56 and (SQL or XQUERY)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 17:27
S58	102	database and data near3 abstract\$5 near3 model	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 17:28
S59	11	database and data near3 abstract\$5 near3 model and gui and SQL	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 17:33

			·	,		
S60	11	data near3 abstract\$5 near3 model and gui and SQL	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 17:34
S61	0	SQL and XQUERY near7 union and join same GUI and (logical or abstract near3 data\$1model)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 17:35
S62	6687	SQL or XQUERY near7 union and join same GUI and (logical or abstract near3 data\$1model)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 17:36
S63	1182	S62 and (abstract or logical near3 data\$1field)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 17:37
S64	367	S63 and GUI	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 17:37
.S65	65	S64 and logical near3 model	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 17:38